

# **Microbiological Safety of Leafy Green Vegetables: A Bibliography**

**Compiled by:**

**Robert L. Buchanan, Ph.D.**  
**Center for Food Safety and Security Systems**  
**College of Agriculture and Natural Resources**  
**University of Maryland**  
**0119 Symons Hall**  
**College Park, Maryland, USA**

**June, 2010**

Harber, A.H. and Luippold, H.J. Dormancy from gamma-irradiation of lettuce seeds. *International Journal of Radiation Biology* 1:317-327. 1959.

Shapiro, J.E. and Holder, I.A. Effect of antibiotic and chemical dips on the microflora of packaged salad mix. *Applied Microbiology* 8:341-345. 1960.

Lynt, R.K.Jr. Survival and recovery of enterovirus from foods. *Applied Microbiology* 14:218-222. 1966.

Kominos, S.D. et al. Introduction of *Pseudomonas aeruginosa* into a hospital via vegetables. *Applied Microbiology* 24:567-570. 1972.

Crisan, E.V. Effects of aflatoxin on germination and growth of lettuce. *Applied Microbiology* 25:342-345. 1973.

Konowalchu, J. et al. Concentration of enteric viruses from water with lettuce extract. *Applied Microbiology* 28:717-719. 1974.

Knowalchuk, J.K. and Speirs, J.I. Survival of enteric viruses on fresh vegetables. *Journal of Milk and Food Technology* 38:469-472. 1975.

Ercolani GL (1976). Bacteriological quality assessment of fresh marketed lettuce and fennel. *Applied and Environmental Microbiology* 31:847-852. 1976.

Wright, C. et al. Enterobacteriaceae and *Pseudomonas aeruginosa* recovered from vegetable salads. *Applied and Environmental Microbiology* 31:453-454. 1976.

Priepke, P.E. et al. Refrigerated storage of prepackaged salad vegetables. *Journal of Food Science* 41:379-385. 1976.

Bolin, H.R. et al. Factors affecting the storage stability of shredded lettuce. *Journal of Food Science* 42:1319-1331. 1977.

Ward, B.K. et al. Recovery of viruses from vegetable surfaces. *Applied and Environmental Microbiology* 44:1389-1394. 1982.

Rude, R.A. et al. Survey of fresh vegetables for nematodes, amoebae, and *Salmonella*. *Journal of the Association of Official Analytical Chemists* 67:(3) 613-615. 1984.

Brocklehurst, T.F. et al. A note on the microbiology of retail packs of prepared salad vegetables. *Journal of Applied Bacteriology* 63:409-415. 1987.

Callister, S.M. and Agger, W.A. Enumeration and characterization of *Aeromonas hydrophila* and *Aeromonas caviae* isolated from grocery store produce. *Applied and Environmental Microbiology* 53:249-253. 1987.

Ruiz, B.G.-V. et al. Contamination of fresh vegetables during cultivation and marketing. *International Journal of Food Microbiology* 4:285-291.

Steinbruegge, E.G. et al. Fate of *Listeria monocytogenes* on ready to serve lettuce. *Journal of Food Protection* 51:596-599. 1988.

Berrang, M.E. et al. Growth of *Listeria monocytogenes* on fresh vegetables stored under controlled atmosphere. *Journal of Food Protection* 52:702-705. 1989.

Heisick, J.E. et al. *Listeria* spp. found on fresh market produce. *Applied and Environmental Microbiology* 55:1925-1927. 1989.

Beuchat, L.R. and Brackett, R.E. Survival and growth of *Listeria monocytogenes* on lettuce as influenced by shredding, chlorine treatment, modified atmosphere packaging and temperature. *Journal of Food Science* 55:755-870. 1990.

Garg, N. et al. Effect of processing conditions on the microflora of fresh-cut vegetables. *Journal of Food Protection* 53:701-703. 1990.

Magnuson, J.A. et al. Microflora of partially processed lettuce. *Applied and Environmental Microbiology* 56:3851-3854. 1990.

Satchell F.B. et al. The survival of *Shigella sonnei* in shredded cabbage. *Journal of Food Protection* 53:558-562, 624. 1990.

Solomon, H.M. et al. 1990. Outgrowth of *Clostridium botulinum* in shredded cabbage at room temperature under modified atmosphere. *Journal of Food Protection* 53:831-833. 1990.

- Beuchat, L.R. Surface disinfection of raw produce. Dairy, Food and Environmental Sanitation 12:6-9. 1990.
- Rosenblum, L.S. et al. A multifocal outbreak of hepatitis A traced to commercially distributed lettuce. American Journal of Public Health 80:1075-1079. 1990.
- Breer, C. and Baumgartner, A. (1992). Occurrence and behavior of *Listeria monocytogenes* in salads, vegetables and fresh vegetable juices. Archiv fur Lebensmittelhygiene, 43:108-110. 1992.
- Park, C.E. and Sanders, G.W. Occurrence of thermotolerant campylobacters in fresh vegetables sold at farmers' outdoor markets and supermarkets. Canadian Journal of Microbiology 38:313-316. 1992.
- Abdul-Raouf, U.M. et al. Survival and growth of *Escherichia coli* O157:H7 on salad vegetables. Applied and Environmental Microbiology 59:1999-2006. 1993.
- Carlin, F. and Nguyen-The, C. Fate of *Listeria monocytogenes* on four types of minimally processed green salads. Letters in Applied Microbiology 18:222-226. 1994.
- Albrecht, J.A. et al. Microbial evaluation of vegetable ingredients in salad bars. Journal of Food Protection 58:683-685. 1995.
- Bastos, R.K.X. and Mara, D.D. The bacterial quality of salad crops drip and furrow irrigated with waste stabilization pond effluent: An evaluation of the WHO guidelines. Water Science and Technology 31:425-430. 1995.
- Carlin, F. et al. Factors affecting the growth of *Listeria monocytogenes* on minimally processed fresh endive. Journal of Applied Bacteriology 78:636-646. 1995.
- Monge, R. and Chinchilla, M. Presence of *Cryptosporidium* oocysts in fresh vegetables. Journal of Food Protection 59:202-203. 1995.
- Ng, D.L.K and Seah, H.L. Isolation and identification of *Listeria monocytogenes* from a range of foods in Singapore. Food Control 6:171-173. 1995.
- Petran, R.L. et al. *Clostridium botulinum* toxin formation in romaine lettuce and shredded cabbage: Effect of storage and packaging conditions. Journal of Food Protection 58:624-627. 1995.
- Beuchat, L.R. Pathogenic microorganisms associated with fresh produce. Journal of Food Protection 59:204-216. 1996.
- Beuchat, L.R. *Listeria monocytogenes*: Incidence on vegetables. Food Control 7:223-228. 1996.

- Carlin, F. et al. Influence of background microflora on *Listeria monocytogenes* on minimally processed fresh broad-leaved endive (*Cichorium endivia* var. *latifolia*). *Journal of Food Protection* 59:698-703. 1996.
- Fain, A.R. A review of the microbiological safety of fresh salads. *Dairy, Food, and Environmental Sanitation* 16:146-149. 1996.
- Garcia-Gimeno, R.M. et al. *Aeromonas hydrophila* in vegetable salads stored under modified atmosphere at 4 and 15°C. *Food Microbiology* 13:369-374. 1996.
- Garcia-Gimeno, R.M. et al. Incidence, survival and growth of *Listeria monocytogenes* in ready-to-use mixed vegetables salads in Spain. *Journal of Food Safety* 16:75-86. 1996.
- Lee, C.-M. et al. Occurrence of *Listeria monocytogenes*, *Salmonella* spp., *Escherichia coli*, and *E. coli* O157:H7 in vegetable salads. *Food Control* 7:135-140. 1996.
- Mpuchane, S. and Gashe, B.A. Prevalence of coliforms in traditionally dried leafy vegetables sold in open markets and food stores in Gaborone, Botswana. *Journal of Food Protection* 59:28-30. 1996.
- Vankerschaver, K. et al. The influence of temperature and gas mixtures on the growth of the intrinsic micro-organisms on cut endive: Predictive versus actual growth. *Food Microbiology* 13:427-440. 1996.
- Wang, G. et al. Fate of enterohemorrhagic *Escherichia coli* O157:H7 in bovine feces. *Applied and Environmental Microbiology* 62:2567-2570. 1996.
- Zhang, S. and Farber, J.M. The effects of various disinfectants against *Listeria monocytogenes* on fresh-cut vegetables. *Food Microbiology* 13:311-321. 1996.
- Arroyo, G. et al. Effect of high pressure on the reduction of microbial populations in vegetables. *Journal of Applied Microbiology* 82:735-742. 1997.
- Babic, I. et al. Growth of *Listeria monocytogenes* restricted by native microorganisms and other properties of fresh-cut spinach. *Journal of Food Protection* 60:912-917. 1997.
- Bolin, H.R. et al. Factors affecting the storage stability of shredded lettuce. *Journal of Food Science* 42:1319-1331. 1997.
- Finn, M.J. and Upton, M.E.. Survival of pathogens on modified-atmosphere-packaged shredded carrot and cabbage. *Journal of Food Protection* 60:1347-1350. 1997.
- Francis, G.A. and O'Beirne, D. Effects of gas atmosphere, antimicrobial dip and temperature on the fate of *Listeria innocua* and *Listeria monocytogenes* on minimally processed lettuce. *International Journal of Food Science and Technology* 32:141-151. 1997.

- Garcia-Gimeno, R.M. and Zurera-Cosano, G. Determination of ready-to-eat vegetable salad shelf-life. *International Journal of Food Microbiology* 36:31-38. 1997.
- Hagenmaier, R.D. and Baker, R.A. Low-dose irradiation of cut iceberg lettuce in modified atmosphere packaging. *Journal of Agricultural and Food Chemistry* 45:2864-2868. 1997.
- Hernandez, F. et al. Rotavirus and hepatitis A virus in market lettuce (*Lactuca sativa*) in Costa Rica. *International Journal of Food Microbiology* 37:221-223. 1997.
- Kyung, K.H. and Fleming, H.P. Antimicrobial activity of sulfur compounds derived from cabbage. *Journal of Food Protection* 60:67-71. 1997.
- Larson, A.E. et al. Evaluation of the botulism hazard from vegetables in modified atmosphere packaging. *Journal of Food Protection* 60:1208-1214. 1997.
- Loessner, M.J. et al. Evaluation of luciferase reporter bacteriophage A511::luxAB for detection of *Listeria monocytogenes* in contaminated foods. *Applied and Environmental Microbiology* 63:2961-2965. 1997.
- Manderfeld, M.M. et al. Isolation and identification of antimicrobial furocoumarins from parsley. *Journal of Food Protection* 60:72-77. 1997.
- Odumeru, J.A. et al. Assessment of the microbiological quality of ready-to-use vegetables for health-care food services. *Journal of Food Protection* 60:954-960. 1997.
- Piagentini, A.M. et al. Survival and growth of *Salmonella* Hadar on minimally processed cabbage as influenced by storage abuse conditions. *Journal of Food Science* 62: 616-631. 1997.
- Wallace, J.S. et al. Isolation of vero cytotoxin-producing *Escherichia coli* O157 from wild birds. *Journal of Applied Microbiology* 82:399-404. 1997.
- Ackers, M.-L. et al. An outbreak of *Escherichia coli* O157:H7 infections associated with leaf lettuce consumption. *Journal of Infectious Diseases* 177: 1588-1593. 1998.
- Austin, J.W. et al. Growth and toxin production by *Clostridium botulinum* on inoculated fresh-cut packaged vegetables. *Journal of Food Protection* 61:324-328. 1998.
- Farber, J.M. et al. Changes in populations of *Listeria monocytogenes* inoculated on packaged fresh-cut vegetables. *Journal of Food Protection* 61:192-195. 1998.
- Francis, G.A. and O'Beirne, D. Effects of storage atmosphere on *Listeria monocytogenes* and competing microflora using a surface model system. *International Journal of Food Science and Technology* 33:465-476. 1998.

Francis, G.A. and O'Beirne, D. Effects of the indigenous microflora of minimally processed lettuce on the survival and growth of *Listeria innocua*. International Journal of Food Science and Technology 33:477-488. 1998.

Hagenmaier, R.D. and Baker, R.A. A survey of the microbial population and ethanol content of bagged salad. Journal of Food Protection 61:357-359. 1998.

Hao, Y.-Y. et al. Microbiological quality and the inability of proteolytic *Clostridium botulinum* to produce toxin in film-packaged fresh-cut cabbage and lettuce. Journal of Food Protection 61:1148-1153. 1998.

Kakiomenou, K. et al. Survival of *Salmonella* Enteritidis and *Listeria monocytogenes* on salad vegetables. World Journal of Microbiology and Biotechnology 14:383-387. 1998.

Pirovani, M.E. et al. Quality of minimally processed lettuce as influenced by packaging and chemical treatment. Journal of Food Quality 22:475-484. 1998.

Shere, J.A. et al. Longitudinal study of *Escherichia coli* O157:H7 dissemination on four dairy farms in Wisconsin. Applied and Environmental Microbiology 64:1390-1399. 1998.

Amanatidou, A. et al. Effect of elevated oxygen and carbon dioxide on the surface growth of vegetable-associated micro-organisms. Journal of Applied Microbiology 86:429-438. 1999.

Beuchat, L.R. Survival of enterohemorrhagic *Escherichia coli* O157:H7 in bovine feces applied to lettuce and the effectiveness of chlorinated water as a disinfectant. Journal of Food Protection 62:845-849. 1999.

Brackett, R.E. Incidence, contributing factors, and control of bacterial pathogens in produce. Postharvest Biology and Technology 15:305-311. 1999.

Cherry, D.P. Improving the safety of fresh produce with antimicrobials. Food Technology 53(11):54-60. 1999.

Delaquis, P.J. et al. Effect of warm, chlorinated water on the microbial flora of shredded iceberg lettuce. Food Research International 32:7-14. 1999.

Escudero, M.E. et al. Effectiveness of various disinfectants in the elimination of *Yersinia enterocolitica* on fresh lettuce. Journal of Food Protection 62:665-669. 1999.

Francis, G.A. et al. The microbiological safety of minimally processed vegetables. International Journal of Food Science and Technology 34:1-22. 1999.

Fukushima, H. et al. Long-term survival of shiga toxin-producing *Escherichia coli* O26, O111, and O157 in bovine feces. *Applied and Environmental Microbiology* 65:5177-5181. 1999.

Hurme, E.U. et al. The storage life of packed shredded iceberg lettuce dipped in glycine betaine solutions. *Journal of Food Protection* 62:363-367. 1999.

Izumi, H. Electrolyzed water as a disinfectant for fresh-cut vegetables. *Journal of Food Science* 64:536-539. 1999.

Jacxsens, L. et al. Spoilage and safety of fresh-cut vegetables packaged under modified atmosphere: A case study of mixed lettuce followed through the distribution chain. In "Food Microbiology and Food Safety into the Next Millenium, Tuijelaars, A.C.J. et al., ed. Ponsen & Looyen. Wageningen, The Netherlands. pp175-180. 1999.

Jacxsens, L. et al. Behavior of *Listeria monocytogenes* and *Aeromonas* spp. on fresh-cut produce package under equilibrium-modified atmosphere. *Journal of Food Protection* 62:1128-1135. 1999.

Kaneko, K.-I. et al. Bacterial contamination in the environment of food factories processing ready-to-eat fresh vegetables. *Journal of Food Protection* 62:800-804. 1999.

Kim, J.-G. et al. Use of ozone to inactivate microorganisms on lettuce. *Journal of Food Safety* 19:17-32. 1999.

Lindqvist, R. Detection of *Shigella* spp. in food with a nested PCR method – sensitivity and performance compared with conventional culture method. *Journal of Applied Microbiology* 86:971-978. 1999.

Little, C. Microbiological quality of retail imported unprepared whole lettuces: A PHLS Food Working Group study. *Journal of Food Protection* 62:325-328. 1999.

Seo, K.H. and Frank, J.F. Attachment of *Escherichia coli* O157:H7 to lettuce leaf surface and bacterial viability in response to chlorine treatment as demonstrated by using confocal scanning laser microscopy. *Journal of Food Protection* 62:3-9. 1999.

Sinigaglia, M. et al. Influence of process operations on shelf-life and microbial population of fresh-cut vegetables. *Journal of Industrial Microbiology and Biotechnology* 23:484-488. 1999.

Thayer, D.W. and Rajokowski, K.T. Developments in irradiation of fresh fruits and vegetables. *Food Technology* 53(11):62-65. 1999.

Wasteson, Y. et al. Analysis of faecal samples from wild animals for verocytotoxin producing *Escherichia coli* and *E. coli* O157. *Veterinary Record* 144:646-647. 1999.

- Xu, L. Use of ozone to improve the safety of fresh fruits and vegetables. *Food Technology* 53(10):58-62. 1999.
- Behrsing, J. et al. Efficiency of chlorine for inactivation of *Escherichia coli* on vegetables. *Postharvest Biology and Technology* 19:187-192. 2000.
- Bidawid, S. et al. Inactivation of hepatitis A virus (HAV) in fruits and vegetables by gamma irradiation. *International Journal of Food Microbiology* 57:91-97. 2000.
- Bidawid, S. et al. Rapid concentration and detection of hepatitis type A virus from lettuce and strawberries. *Journal of Virological Methods* 88:175-185. 2000.
- Bidawid, S. et al. Contamination of foods by food handlers: Experiments on hepatitis A virus transfer to food and its interpretation. *Applied and Environmental Microbiology* 66:2759-2763. 2000.
- Burnett, S.L. and Beuchat, L.R. Human pathogens associated with raw produce and unpasteurized juices, and difficulties in decontamination. *Journal of Industrial Microbiology and Biotechnology* 25:281-287. 2000.
- Cizek, A. et al. Survival of *Escherichia coli* O157 in faeces of experimentally infected rats and pigeons. *Letters in Applied Microbiology* 31:349-352. 2000.
- Heard, G. Microbial safety of ready-to-eat salads and minimally processed vegetables and fruits. *Food Science and Technology Today* 14:15-21. 2000.
- Leggitt, P.R. and Jaykus, L.-A. Detection methods for human enteric viruses in representative foods. *Journal of Food Protection* 63:1738-1744. 2000.
- Lin, C.-M. et al. Bactericidal activity of isothiocyanate against pathogens on fresh produce. *Journal of Food Protection* 63:25-30. 2000.
- Mahony, J.O' et al. Rotavirus survival and stability in foods as determined by an optimised plaque assay procedure. *International Journal of Food Microbiology* 61:177-185. 2000.
- Prakash, A. et al. Effects of low-dose gamma irradiation on the shelf life and quality characteristics of cut Romaine lettuce packaged under modified atmosphere. *Journal of Food Science* 65:549-553. 2000.
- Robertson, L.J. et al. Isolation of *Cyclospora* oocysts from fruits and vegetables using lectin-coated paramagnetic beads. *Journal of Food Protection* 63:1410-1414. 2000.
- Szabo, E.A. et al. Survey for psychrotrophic bacterial pathogens in minimally processed lettuce. *Letters in Applied Microbiology* 30:456-460. 2000.



Takeuchi, K. et al. Comparison of the attachment of *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Salmonella* Typhimurium, and *Pseudomonas fluorescens* to lettuce leaves. *Journal of Food Protection* 63:1433-1437. 2000.

Takeuchi, K and Frank, J.F. Penetration of *Escherichia coli* O157:H7 into lettuce tissue as affected by inoculum size and temperature and the effect of chlorine treatment on cell viability. *Journal of Food Protection* 63:434-440. 2000.

Thomas, C. and O'Beirne, D. Evaluation of the impact of short-term temperature abuse on the microbiology and shelf-life of a model ready-to-eat vegetable combination product. *International Journal of Food Microbiology* 59:47-57. 2000.

Villari, P. et al. Prevalence and molecular characterization of *Aeromonas* spp. in ready-to-eat foods in Italy. *Journal of Food Protection* 63:1754-1757. 2000.

Weissinger, W.R. et al. Survival and growth of *Salmonella* Baildon in shredded lettuce and diced tomatoes, and effectiveness of chlorinated water as a sanitizer. *International Journal of Food Microbiology* 62:123-131. 2000.

Wu, F.M. et al. Fate of *Shigella sonnei* on parsley and methods of disinfection. *Journal of Food Protection* 63:568-572. 2000.

Beuchat, L.R. et al. Development of a proposed standard method for assessing the efficacy of fresh produce sanitizers. *Journal of Food Protection* 64:1103-1109. 2001.

Bidawid, S. et al. Survival of hepatitis A virus on modified atmosphere-packaged (MAP) lettuce. *Food Microbiology* 18:95-102. 2001.

Campbell, J.V. et al. An outbreak of *Salmonella* serotype Thompson associated with fresh cilantro. *Journal of Infectious Diseases* 183:984-987. 2001.

Cao, H. et al. Common mechanisms for pathogens of plants and animals. *Annual Reviews of Phytopathology* 39:259-284. 2001.

Edgar, R. and Aidoo, K.E. Microflora of blanched minimally processed fresh vegetables as components of commercial chilled ready-to-use meals. *International Journal of Food Science and Technology* 36:107-110. 2001.

Francis, G.A. and O'Beirne, D. Effects of acid adaptation on the survival of *Listeria monocytogenes* on modified atmosphere packaged vegetables. *International Journal of Food Science and Technology* 36:477-487. 2001.

Francis, G.A. and O'Beirne, D. Effects of vegetable type, package type and storage atmosphere on growth and survival of *Escherichia coli* O157:H7 and *Listeria monocytogenes*. *Journal of Industrial Microbiology and Biotechnology* 27:111-116. 2001.

Guan, T.Y. et al. Fate of foodborne bacterial pathogens in pesticide products. *Journal of the Science of Food and Agriculture* 81:503-512. 2001.

Gulati, B.R. et al. Efficacy of commonly used disinfectants for the inactivation of calicivirus on strawberry, lettuce, and a food-contact surface. *Journal of Food Protection* 64:1430-1434. 2001.

Koseki, S. and Itoh, K. Prediction of microbial growth in fresh-cut vegetables treated with electrolyzed water during storage under various temperature conditions. *Journal of Food Protection* 64:1935-1941. 2001.

Koseki, S. et al. Decontamination of lettuce using acidic electrolyzed water. *Journal of Food Protection* 64:652-658. 2001

Kurdziel, A.S. et al. Survival of poliovirus on soft fruit and salad vegetables. *Journal of Food Protection* 64:706-709. 2001.

Li, Y. et al. Survival and growth of *Escherichia coli* O157:H7 inoculated onto cut lettuce before or after heating in chlorinated water, followed by storage at 5 or 15°C. *Journal of Food Protection* 64:305-309. 2001.

Li, Y. et al. Changes in appearance and natural microflora on iceberg lettuce treated in warm, chlorinated water and then stored at refrigeration temperature. *Food Microbiology* 18:299-308. 2001.

Liao, C.-H. and Fett, W.F. Analysis of native microflora and selection of strains antagonistic to human pathogens on fresh produce. *Journal of Food Protection* 64:1110-1115. 2001.

McMahon, M.A.S. and Wilson, I.G. The occurrence of enteric pathogens and *Aeromonas* species in organic vegetables. *International Journal of Food Microbiology* 70:155-162. 2001.

Melloul, A. et al. *Salmonella* contamination of vegetables irrigated with untreated wastewater. *World Journal of Microbiology and Biotechnology* 17:207-209. 2001.

Park, C.-M. et al. Pathogen reduction and quality of lettuce treated with electrolyzed oxidizing and acidified chlorinated water. *Journal of Food Science* 66:1368-1372. 2001.

Petterson, S.R. et al. Modeling virus inactivation on salad crops using microbial count data. *Risk Analysis* 21:1097-1108. 2001.

Pirovani, M.E. et al. Predictive models for available chlorine depletion and total microbial count reduction during washing of fresh-cut spinach. *Journal of Food Science* 66:860-864. 2001.

Poms, R.E. and Tatini, S.R. Survival of *Helicobacter pylori* in ready-to-eat foods at 4°C. International Journal of Food Microbiology 63:281-286. 2001.

Prakash, A. et al. Effects of low-dose gamma irradiation on the shelf life and quality characteristics of cut romaine lettuce packaged under modified atmosphere. Journal of Food Science 65:549-553. 2000.

Robertson, L.J. and Gjerde, B. Occurrence of parasites on fruits and vegetables in Norway. Journal of Food Protection 64:1793-1798. 2001.

Robertson, L.J. and Gjerde, B. Factors affecting recovery efficiency in isolation of *Cryptosporidium* oocysts and *Giardia* cysts from vegetables for standard method development. Journal of Food Protection 64:1799-1805. 2001.

Safarikova, M. and Safarik, I. Immunomagnetic separation of *Escherichia coli* O26, O111 and O157 from vegetables. Letters in Applied Microbiology 33:36-39. 2001.

Sawal, J. et al. Heated scallop-shell powder slurry treatment of shredded cabbage. Journal of Food Protection 64:1579-1582. 2001.

Seymour, I.J. and Appleton, H. Foodborne viruses and fresh produce. Journal of Applied Microbiology 91:759-773. 2001.

Shearer, A.E.H. et al. Evaluation of a polymerase chain reaction-based system for detection of *Salmonella* Enteritidis, *Escherichia coli* O157:H7, *Listeria* spp., and *Listeria monocytogenes* on fresh fruits and vegetables. Journal of Food Protection 64:788-795. 2001.

Sewell, A.M. and Farber, J.M. Foodborne outbreaks in Canada linked to produce. Journal of Food Protection 64:1863-1877. 2001.

Soriano, J.M. et al. Incidence of microbial flora in lettuce, meat and Spanish potato omelette from restaurants. Food Microbiology 18:159-163. 2001.

Soriano, J.M. et al. *Listeria* spp. in raw and ready-to-eat foods from restaurants. Journal of Food Protection 64:551-553. 2001.

Takeuchi, K. and Frank, J.F. Expression of red-shifted green fluorescent protein by *Escherichia coli* O157:H7 as a marker for the detection of cells on fresh produce. Journal of Food Protection 64:298-304. 2001.

Takeuchi, K. and Frank, J.F. Direct microscopic observation of lettuce leaf decontamination with a prototype fruit and vegetable washing solution and 1% NaCl-NaHCO<sub>3</sub>. Journal of Food Protection 64:1235-1239. 2001.

Takeuchi, K. and Frank, J.F. Quantitative determination of the role of lettuce leaf structures in protecting *Escherichia coli* O157:H7 from chlorine disinfection. *Journal of Food Protection* 64:147-151. 2001.

Takeuchi, K. et al. Penetration of *Escherichia coli* O157:H7 into lettuce as influence by modified atmosphere and temperature. *Journal of Food Protection* 64:(11) 1820-1823. 2001.

Wang, H. et al. Efficacy of cetylpyridinium chloride immersion treatment for reducing populations of pathogenic bacteria on fresh-cut vegetables. *Journal of Food Protection* 64:2071-2074. 2001.

Allende, A. et al. Effect of superatmospheric oxygen packaging on sensorial quality, spoilage, and *Listeria monocytogenes* and *Aeromonas caviae* growth in fresh processed mixed salads. *Journal of Food Protection* 65:1565-1573. 2002.

Bagamboula, C.F. et al. Growth and survival of *Shigella sonnei* and *S. flexneri* in minimal processed vegetables packed under equilibrium modified atmosphere and stored at 7°C and 12°C. *Food Microbiology* 19:529-536. 2002.

Brandl, M.T. and Mandrell, R.E. Fitness of *Salmonella enterica* serovar Thompson in the cilantro phyllosphere. *Applied and Environmental Microbiology* 68:3614-3621. 2002.

Croci, L. et al. The survival of hepatitis A virus in fresh produce. *International Journal of Food Microbiology* 73:29-34. 2002.

Delaquis, P. et al. Survival and growth of *Listeria monocytogenes* and *Escherichia coli* O157:H7 in ready-to-eat iceberg lettuce washed in warm chlorinated water. *Journal of Food Protection* 65:459-464. 2002.

Doller, P.C. et al. Cyclosporiasis outbreak in Germany associated with the consumption of salad. *Emerging Infectious Diseases* 8:992-994. 2002.

Dubois, E. et al. Modified concentration method for the detection of enteric viruses on fruits and vegetables by reverse transcriptase polymerase chain reaction or cell culture. *Journal of Food Protection* 65:1962-1969. 2002.

Fan, X. and Sokorai, K.J.B. Sensorial and chemical quality of gamma-irradiated fresh-cut iceberg lettuce in modified atmosphere packages. *Journal of Food Protection* 65:1760-1765. 2002.

Francis, G.A. and O'Beirne, D. Effects of vegetable type and antimicrobial dipping on survival and growth of *Listeria innocua* and *E. coli*. *International Journal of Food Science and Technology* 37:711-718. 2002.

Hirotsu, H. et al. Demonstration of indicator microorganisms on surface of vegetables on the market in the United States and Mexico. *Journal of Food Science* 67:1847-1850. 2002.

Hough, A. J. et al. Rapid enumeration of *Listeria monocytogenes* in artificially contaminated cabbage using real-time polymerase chain reaction. *Journal of Food Protection* 65:1329-1332. 2002.

Johannessen, G.S. et al. Bacteriological analysis of fresh produce in Norway. *International Journal of Food Microbiology* 77:199-204. 2002.

Koseki, S. and Itoh, K. Effect of nitrogen gas packaging on the quality and microbial growth of fresh-cut vegetables under low temperature. *Journal of Food Protection* 65:326-332. 2002.

Koseki, S. et al. Decontaminative effect of frozen acidic electrolyzed water on lettuce. *Journal of Food Protection* 65:411-414. 2002.

Li, Y. et al. Mild heat treatment of lettuce leaves enhances growth of *Listeria monocytogenes* during subsequent storage at 5°C or 15°C. *Journal of Applied Microbiology* 92:269-275. 2002.

Li-Cohen, A.E. and Bruhn, C.M. Safety of consumer handling of fresh produce from the time of purchase to the plate: A comprehensive consumer survey. *Journal of Food Protection* 65:1287-1296. 2002.

Lin, C.-M. et al. Inactivation of *Escherichia coli* O157:H7, *Salmonella enterica* serotype Enteritidis, and *Listeria monocytogenes* on lettuce by hydrogen peroxide and lactic acid and by hydrogen peroxide with mild heat. *Journal of Food Protection* 65:1215-1220. 2002.

Loncarevic, S. et al. Bacteriological quality of organically grown leaf lettuce in Norway. *Letters in Applied Microbiology* 41:186-189. 2002.

McWatters, K.H. et al. Consumer acceptance of fresh-cut iceberg lettuce treated with 2% hydrogen peroxide and mild heat. *Journal of Food Protection* 65:1221-1226. 2002.

Natvig, E.E. et al. *Salmonella enterica* serovar Typhimurium and *Escherichia coli* contamination of root and leaf vegetables grown in soils with incorporated bovine manure. *Applied and Environmental Microbiology* 68:2737-2744. 2002.

Niemira, B.A. et al. Suspending lettuce type influences recoverability and radiation sensitivity of *Escherichia coli* O157:H7. *Journal of Food Protection* 65:1388-1393. 2002.

- Piagentini, A.M. and Guemes, D.R. Shelf-life of fresh-cut spinach as affected by chemical treatment and type of packaging film. *Brazilian Journal of Chemical Engineering* 19:383-389. 2002.
- Prazak, A.M. et al. Prevalence of *Listeria monocytogenes* during production and postharvest processing of cabbage. *Journal of Food Protection* 65:1728-1734. 2002.
- Prazak, A.M. et al. Antimicrobial resistance of *Listeria monocytogenes* isolated from various cabbage farms and packing sheds in Texas. *Journal of Food Protection* 65:1796-1799. 2002.
- Sair, A.I. et al. Improved detection of human enteric viruses in foods by RT-PCR. *Journal of Virological Methods* 100:57-69. 2002.
- Schuenzel, K.M. and Harrison, M.A. Microbial antagonists of foodborne pathogens on fresh, minimally processed vegetables. *Journal of Food Protection*. 65:1909-1915. 2002.
- Seymour, I.J. et al. Ultrasound decontamination of minimally processed fruits and vegetables. *International Journal of Food Science and Technology* 37:547-557. 2002.
- Singh, N. et al. Effect of inoculation and washing methods on the efficacy of different sanitizers against *Escherichia coli* O157:H7 on lettuce. *Food Microbiology* 19:183-193. 2002.
- Solomon, E.B. et al. Effect of irrigation method on transmission to and persistence of *Escherichia coli* O157:H7 on lettuce. *Journal of Food Protection* 65:673-676. 2002.
- Solomon, E.B. et al. Transmission of *Escherichia coli* O157:H7 from contaminated manure and irrigation water to lettuce plant tissue and its subsequent internalization. *Applied and Environmental Microbiology* 68:397-400. 2002.
- Stafford, R.J. et al. A statewide outbreak of *Salmonella* Bovismorbificans phage type 32 infection in Queensland. *Communicable Disease Intelligence* 26:568-573. 2002.
- Thunberg, R.L. et al. Microbial evaluation of selected fresh produce obtained at retail markets. *Journal of Food Protection* 65:677-682. 2002.
- Valero, M. et al. Characterization of *Bacillus cereus* isolates from fresh vegetables and refrigerated minimally processed foods by biochemical and physiological tests. *Food Microbiology* 19:491-499. 2002.
- Vijayakumar, C. and Wolf-Hall, C.E. Evaluation of household sanitizers for reducing levels of *Escherichia coli* on iceberg lettuce. *Journal of Food Protection* 65:1646-1650. 2002.

Wachtel, M.R. and Charkowski, A.O. Cross-contamination of lettuce with *Escherichia coli* O157:H7. *Journal of Food Protection* 65:(3) 465-470. 2002.

Wachtel, M.R. et al. Association of *Escherichia coli* O157:H7 with preharvest leaf lettuce upon exposure to contaminated irrigation water. *Journal of Food Protection* 65:18-25. 2002.

Wachtel, M.R. et al. Prevalence of *Escherichia coli* associated with a cabbage crop inadvertently irrigated with partially treated sewage wastewater. *Journal of Food Protection* 65:471-475. 2002.

Allende, A. and Artes, F. UV-C radiation as a novel technique for keeping quality of fresh processed 'Lollo Rosso' lettuce. *Food Research International* 36:739-746. 2003.

Caldwell, K.N. et al. Ingestion of *Salmonella enterica* serotype Poona by a free-living nematode, *Caenorhabditis elegans*, and protection against inactivation by produce sanitizers. *Applied and Environmental Microbiology* 69:4103-4110. 2003.

Cooley, M.B. et al. Colonization of *Arabidopsis thaliana* with *Salmonella enterica* and enterohemorrhagic *Escherichia coli* O157:H7 and competition by *Enterobacter asburiae*. *Applied and Environmental Microbiology* 69:4915-4926. 2003.

Dontorou, C. et al. Isolation of *Escherichia coli* O157:H7 from foods in Greece. *International Journal of Food Microbiology* 82:273-279. 2003.

Fan, X. et al. Warm water treatment in combination with modified atmosphere packaging reduces undesirable effects of irradiation on the quality of fresh-cut iceberg lettuce. *Journal of Agricultural and Food Chemistry* 51:1231-1236. 2003.

Harp, E. and Gilliland, S.E. Evaluation of a select strain of *Lactobacillus delbrueckii* subsp. *lactis* as a biological control agent for pathogens on fresh-cut vegetables stored at 7°C. *Journal of Food Protection* 66:1013-1018. 2003.

Hassan, A.N. and Frank, J.F. Influence of surfactant hydrophobicity on the detachment of *Escherichia coli* O157:H7 from lettuce. *International Journal of Food Microbiology* 87:145-152. 2003.

Koseki, S. et al. Influence of inoculation method, spot inoculation site, and inoculation size of the efficacy of acidic electrolyzed water against pathogens on lettuce. *Journal of Food Protection* 66:2010-2016. 2003.

Leverentz, B. et al. Biological control of minimally processed fruits and vegetables. "Microbial Safety of Minimally Processed Food." (CRC PRESS) 15:319-332. 2003.

- Liu, Y. et al. Rapid detection of *Escherichia coli* O157:H7 inoculated in ground beef, chicken carcass, and lettuce samples with an immunomagnetic chemiluminescence fiber-optic biosensor. *Journal of Food Protection* 66:512-517. 2003.
- Moore, C.M. et al. Transfer of *Salmonella* and *Campylobacter* from stainless steel to romaine lettuce. *Journal of Food Protection* 66:2231-2236. 2003.
- Nascimento, M.S. et al. Effects of different disinfection treatments on the natural microbiota of lettuce. *Journal of Food Protection* 66:1697-1700. 2003.
- Niemira, B.A. et al. Ionizing radiation sensitivity of *Listeria monocytogenes* ATCC 49594 and *Listeria innocua* ATCC 51742 inoculated on endive (*Cichorium endiva*). *Journal of Food Protection* 66:993-998. 2003.
- Niemira, B.A. Radiation sensitivity and recoverability of *Listeria monocytogenes* and *Salmonella* on 4 lettuce types. *Journal of Food Science* 68:2784-2787. 2003.
- Nutt, J.D. et al. Growth kinetics response of a *Salmonella* Typhimurium poultry marker strain to fresh produce extracts. *Bioresource Technology* 89:313-316. 2003.
- Ozaras, R. et al. Hepatopulmonary masses after eating romaine lettuce. *Scandinavian Journal of Infectious Disease* 35:914-915. 2003.
- Quinero-Betancourt, W. et al. Assessment of methods for detection of infectious *Cryptosporidium* oocysts and *Giardia* cysts in reclaimed water. *Applied and Environmental Microbiology* 60:5380-5388. 2003.
- Raiden, R.M. et al. Efficacy of detergents in removing *Salmonella* and *Shigella* spp. from the surface of fresh produce. *Journal of Food Protection* 66:2210-2215. 2003.
- Rice, D.H. et al. Faecal culture of wild animals for *Escherichia coli* O157:H7. *Veterinary Record* 152:82-83. 2003.
- Solomon, E.B. et al. Persistence of *Escherichia coli* O157:H7 on lettuce plants following spray irrigation with contaminated water. *Journal of Food Protection* 66:2198-2202. 2003.
- Steele, M. et al. Sensitivity of PCR detection of *Cyclospora cayetanensis* in raspberries, basil, and mesclun lettuce. *Journal of Microbiological Methods* 54:277-280. 2003.
- Suslow, T.V. et al. Production practices as risk factors in microbial food safety of fresh and fresh-cut produce. *Comprehensive Reviews in Food Science and Food Safety* 2(supplement):38-77. 2003.



Szabo, E.A. et al. Assessment of control measures to achieve a food safety objective of less than 100 cfu of *Listeria monocytogenes* per gram at the point of consumption for fresh precut iceberg lettuce. *Journal of Food Protection* 66:256-264. 2003.

Wachtel, M.R. et al. Cross-contamination of lettuce (*Lactuca sativa* L.) with *Escherichia coli* O157:H7 via contaminated ground beef. *Journal of Food Protection* 66:1176-1183. 2003.

Wahlstrom, H. et al. Survey of *Campylobacter* species, VTET O157 and *Salmonella* species in Swedish wildlife. *Veterinary Record* 153:74-80. 2003.

Warriner, K. et al. Interaction of *Escherichia coli* with growing salad spinach plants. *Journal of Food Protection* 66:1790-1797. 2003.

Yang, H. et al. Efficacy of cetylpyridinium chlorine on *Salmonella* Typhimurium and *Escherichia coli* O157:H7 in immersion spray treatment of fresh-cut lettuce. *Journal of Food Science* 68:1008-1012. 2003.

Yang, H. et al. The effect of pH on inactivation of pathogenic bacteria on fresh-cut lettuce by dipping treatment with electrolyzed water. *Journal of Food Science* 68:1013-1017. 2003.

Allende, A. et al. Microbial and sensory quality of commercial fresh processed red lettuce throughout the production chain and shelf life. *International Journal of Food Microbiology* 91:109-117. 2004.

Allwood, P.B. et al. Occurrence of *Escherichia coli*, noroviruses, and F-specific coliphages in fresh market-ready produce. *Journal of Food Protection* 67:2387-2390. 2004.

Allwood, P.B. et al. Effect of temperature and sanitizers on the survival of feline calicivirus, *Escherichia coli*, and F-specific coliphage MS2 on leafy salad vegetables. *Journal of Food Protection* 67:1451-1456. 2004.

Brandl, M.T. et al. Comparison of the survival of *Campylobacter jejuni* in the phyllosphere with that in the rhizosphere of spinach and radish plants. *Applied and Environmental Microbiology* 70:1182-1189. 2004.

Foley, D. et al. Irradiation and chlorination effectively reduces *Escherichia coli* O157:H7 inoculated on cilantro (*Coriandrum sativum*) without negatively affecting quality. *Journal of Food Protection* 67:2092-2098. 2004.

Hassan, A.N. and Frank, J.F. Attachment of *Escherichia coli* O157:H7 grown in tryptic soy broth and nutrient broth to apple and lettuce surfaces as related to cell hydrophobicity, surface charge, and capsule production. *International Journal of Food Microbiology* 96:103-109. 2004.

- Honag, L.M.N. et al. Outbreaks of cyclosporiasis in British Columbia associated with imported Thai basil. *Epidemiology and Infection* 133:23-27. 2004.
- Islam, M. et al. Persistence of enterohemorrhagic *Escherichia coli* O157:H7 in soil and on leaf lettuce and parsley grown in fields treated with contaminated manure composts or irrigation water. *Journal of Food Protection* 67:1365–1370. 2004.
- Islam, M. et al. Persistence of *Salmonella enterica* serovar Typhimurium on lettuce and parsley and in soils on which they were grown in fields treated with contaminated manure composts or irrigation water. *Foodborne Pathogens and Disease* 1:27-35. 2004.
- Johannessen, G.S. et al. Influence of bovine manure as a fertilizer on the bacteriological quality of organic iceberg lettuce. *Journal of Applied Microbiology* 96:787-794. 2004.
- Karenlampi, R. and Hanninen, M.-L. Survival of *Campylobacter jejuni* on various fresh produce. *International Journal of Food Microbiology* 97:187-195. 2004.
- Koseki, S. et al. Effect of mild heat pre-treatment with alkaline electrolyzed water on the efficacy of acidic electrolyzed water against *Escherichia coli* O157:H7 and *Salmonella* on lettuce. *Food Microbiology* 21:559-566. 2004.
- Koseki, S. et al. Efficacy of acidic electrolyzed ice for pathogen control of lettuce. *Journal of Food Protection* 67:2544-2549. 2004.
- Le Guyader, F.S. et al. Round-robin comparison of methods for the detection of human enteric viruses in lettuce. *Journal of Food Protection* 67:2315-2319. 2004.
- Li, Y. and Mustapha, A. Simultaneous detection of *Escherichia coli* O157:H7, *Salmonella*, and *Shigella* in apple cider and produce by a multiplex PCR. *Journal of Food Protection* 67:27-33. 2004.
- Lee, S.-Y. et al. Efficacy of chlorine dioxide gas as a sanitizer of lettuce leaves. *Journal of Food Protection* 67:1371-1376. 2004.
- McKellar, R.C. et al. Influence of a commercial warm chlorinated water treatment and packaging on the shelf-life of ready-to-use lettuce. *Food Research International* 7:343-354. 2004.
- Nicholl, P. et al. Growth dynamics of indigenous microbial populations on vegetables after decontamination and during refrigerated storage. *Journal of Food Processing and Preservation* 28:442-459. 2004.
- Niemira, B.A. et al. Irradiation and modified atmosphere packaging of endive influences survival and regrowth of *Listeria monocytogenes* and product sensory qualities. *Radiation Physics and Chemistry* 72:41-48. 2004.

Nightingale, K.K. et al. Ecology and transmission of *Listeria monocytogenes* infecting ruminants and in the farm environment. *Applied and Environmental Microbiology* 70:4458-4467. 2004.

Pirovani, M. et al. Reduction of chlorine concentration and microbial load during washing-disinfection of shredded lettuce. *International Journal of Food Science and Technology* 39:341-347. 2004.

Steel, M. and Odumeru, J. Irrigation water as a source of foodborne pathogens on fruit and vegetables. *Journal of Food Protection* 67:2839-2849. 2004.

Wang, H. et al. Microbial reduction and storage quality of fresh-cut cilantro washed with acidic electrolyzed water and aqueous ozone. *Food Research International* 37:949-956. 2004.

Ahn, H.-J. Combined effects of irradiation and modified atmosphere packaging on minimally processed Chinese cabbage (*Brassica rapa* L.). *Food Chemistry* 89:589-597. 2005.

Brandl, M.T. et al. Production of autotinducer 2 in *Salmonella enterica* serovar Thompson contributes to its fitness in chickens but not on cilantro leaf surfaces. *Applied and Environmental Microbiology* 71:2653-2662. 2005.

Bari, M.L. et al. Effectiveness of irradiation treatments in inactivating *Listeria monocytogenes* on fresh vegetables at refrigeration temperature. *Journal of Food Protection* 68:318-323. 2005.

Bari, M.L. et al. Combined efficacy of nisin and pediocin with sodium lactate, citric acid, phytic acid, and potassium sorbate and EDTA in reducing the *Listeria monocytogenes* population of inoculated fresh-cut produce. *Journal of Food Protection* 68:1381-1387. 2005.

Charles, F. et al. Influence of packaging conditions on natural microbial population growth on endive. *Journal of Food Protection* 68:1020-1025. 2005.

Dawson, D.J. et al. Survival of viruses on fresh produce, using MS2 as a surrogate for norovirus. *Journal of Applied Microbiology* 98:203-209. 2005.

Duffy, E.A. et al. Concentrations of *Escherichia coli* and genetic diversity and antibiotic resistance profiling of *Salmonella* isolated from irrigation water, packaging shed equipment, and fresh produce in Texas. *Journal of Food Protection* 68:70-79. 2005.

Duffy, E.A. et al. Survival of *Salmonella* transformed to express green fluorescent protein on Italian parsley as affected by processing and storage. *Journal of Food Protection* 68:687-695. 2005.

Erdogrul, O. and Sener, H. The contamination of various fruit and vegetable with *Enterobius vermicularis*, *Ascaris* eggs, and *Entamoeba histolyca* cysts and *Giardia* cysts. Food Control 16:559-562. 2005.

Francis, G.A. and O'Beirne, D. Variation among strains of *Listeria monocytogenes*: Differences in survival on packaged vegetables and in response to heat and acid conditions. Food Control 16:687-694. 2005.

Franz, E. et al. Effects of cattle feeding regimen and soil management type on the fate of *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium in manure, manure-amended soil, and lettuce. Applied and Environmental Microbiology 71:6165-6174. 2005.

Gale, P. Land application of treated sewage sludge: Quantifying pathogen risks from consumption of crops. Journal of Applied Microbiology 98:380-396. 2005.

Gibbs, D.S. et al. Potential role of *Diploscapter* sp. Strain LKC25, a bacterivorous nematode from soil, as a vector of food-borne pathogenic bacteria to preharvest fruits and vegetables. Applied and Environmental Microbiology 71:2433-2437. 2005.

Girardin, H. et al. Behavior of the pathogen surrogates *Listeria innocua* and *Clostridium sporogenes* during production of parsley in fields fertilized with contaminated amendments. FEMS Microbiology Ecology 54:287-295. 2005

Gleeson, E. and O'Beirne, D. Effect of process severity on survival and growth of *Escherichia coli* and *Listeria innocua* on minimally processed vegetables. Food Control 16:677-685. 2005.

Gomez-Lopez, V.M. et al. Intense light pulses decontamination of minimally processed vegetables and their shelf-life. International Journal of Food Microbiology 103:79-89. 2005.

Hora, R. et al. Internalization of *Escherichia coli* O157:H7 following biological and mechanical disruption of growing spinach plants. Journal of Food Protection 68:2506-2509. 2005.

Hutchison, M.L. et al. Analyses of livestock production, waste storage, and pathogen levels and prevalences in farm manures. Applied and Environmental Microbiology 71:1231-1236. 2005.

Inatsu, Y. et al. Efficacy of acidified sodium chlorite treatments in reducing *Escherichia coli* O157:H7 on Chinese cabbage. Journal of Food Protection 68:251-255. 2005.

Ingham, S.C. et al. Evaluation of fertilization-to-planting and fertilization-to-harvest intervals for safe use of noncomposted bovine manure in Wisconsin vegetable production. *Journal of Food Protection* 68:1134-1142. 2005.

Jablasone, J. et al. Interactions of *Escherichia coli* O157:H7, *Salmonella* Typhimurium and *Listeria monocytogenes* plants cultivated in a gnotobiotic system. *International Journal of Food Microbiology* 99:7-18. 2005.

Johannessen, G.S. et al. Potential uptake of *Escherichia coli* O157:H7 from organic manure into crisphead lettuce. *Applied and Environmental Microbiology* 71:2221-2225. 2005.

Johnston, L.M. et al. A field study of the microbiological quality of fresh produce. *Journal of Food Protection* 69:1840-1847. 2005.

Khattak, A.B. et al. Shelf life extension of minimally processed cabbage and cucumber through gamma irradiation. *Journal of Food Protection* 68:105-110. 2005.

Kim, H. and Beuchat, L.R. Survival and growth of *Enterobacter sakazakii* on fresh-cut fruits and vegetables and in unpasteurized juices as affected by storage temperature. *Journal of Food Protection* 68:2541-2552. 2005.

Kniel, K.E. and JENKINS, M.C. Detection of *Cryptosporidium parvum* oocysts on fresh vegetables and herbs using antibodies specific for a *Cryptosporidium parvum* viral antigen. *Journal of Food Protection* 68:1093-1096. 2005.

Koseki, S. and Isobe, S. Growth of *Listeria monocytogenes* on iceberg lettuce and solid media. *International Journal of Food Microbiology* 101:217-225. 2005.

Kozan, E. et al. Prevalence of helminth eggs on raw vegetables used for salads. *Food Control* 16:239-242. 2005.

Lemunier, M. et al. Long-term survival of pathogenic and sanitation indicator bacteria in experimental biowaste composts. *Applied and Environmental Microbiology* 71:5779-5786. 2005.

Loncarevic, S. et al. Bacteriological quality of organically grown leaf lettuce in Norway. *Letters in Applied Microbiology* 41:186-189. 2005.

Martin-Diana, A.B. et al. Calcium lactate washing treatments for salad-cut Iceberg lettuce: Effect of temperature and concentration on quality retention parameters. *Food Research International* 38:729-740. 2005.

Martin-Diana, A.B. et al. Comparison of calcium lactate with chlorine as a washing treatment for fresh-cut lettuce and carrots: Quality and nutritional parameters. *Journal of the Science of Food and Agriculture* 85:2260-2268. 2005.

Niemira, B.A. Nalidixic acid resistance increases sensitivity of *Escherichia coli* O157:H7 to ionizing radiation in solution and on green leaf lettuce. *Journal of Food Science* 70:M121-M124. 2005.

Nguz, K. et al. Microbiological evaluation of fresh-cut organic vegetables produced in Zambia. *Food Control* 16:623-628. 2005.

Oh, S.-W. et al. Efficacy of aerosolized peroxyacetic acid as a sanitizer of lettuce leaves. *Journal of Food Protection* 68:1743-1747. 2005.

Palumbo, J.D. et al. Identification of genes induced in *Listeria monocytogenes* during growth and attachment to cut cabbage, using differential display. *Applied and Environmental Microbiology* 71:5236-5243. 2005.

Phillips, C.A. and Harrison, M.A. Comparison of the microflora of organically and conventionally grown spring mix from a California processor. *Journal of Food Protection* 68:1143-1146. 2005.

Pivarnik, L.R. et al. New England consumers' willingness to pay for fresh fruits and vegetables grown on GAP-certified farms. *Food Protection Trends* 25:256-266. 2005

Rhee, L. et al. Growth inhibitors of lettuce seedlings from *Bacillus cereus* EJ-121. *Plant Growth Regulation* 47:149-154. 2005.

Sela, S. et al. Mediterranean fruit fly as a potential vector of bacterial pathogens. *Applied and Environmental Microbiology* 71:4052-4056. 2005.

Song, I. et al. Application of microbial risk assessment to the development of standards for enteric pathogens in water used to irrigate fresh produce. *Journal of Food Protection* 68:913-918. 2005.

Soriano, J.M. et al. A review of the application of the hazard analysis and critical control point systems to salads served in the restaurant of Valencia University. *International Journal of Food Science and Technology* 40:333-336. 2005.

Steele, M. et al. Microbial assessment of irrigation water used for production of fruit and vegetables in Ontario, Canada. *Journal of Food Protection* 68:1388-1392. 2005.

Stine, S.W. et al. Effect of relative humidity on preharvest survival of bacterial and viral pathogens on the surface of cantaloupe, lettuce, and bell peppers. *Journal of Food Protection* 68:1352-1358. 2005.

Sy, K.V. et al. Evaluation of gaseous chlorine dioxide as a sanitizer for killing *Salmonella*, *Escherichia coli* O157:H7, *Listeria monocytogenes*, and yeasts and molds on fresh and fresh-cut produce. *Journal of Food Protection* 68:1176-1187. 2005.

- Tournas, V.H. Mould and yeasts in fresh and minimally processed vegetables and sprouts. *International Journal of Food Microbiology* 99:71-77. 2005.
- Wang, H. and Slavik, M.F. A multiplex polymerase chain reaction assay for rapid detection of *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Salmonella* Typhimurium and *Campylobacter jejuni* in artificially contaminated food samples. *Journal of Rapid Methods and Automation in Microbiology* 13:213-223. 2005.
- Warriner, K. et al. Seed decontamination as an intervention step for eliminating *Escherichia coli* on salad vegetables and herbs. *Journal of the Science of Food and Agriculture* 85:2307-2313. 2005.
- Wasteson, Y. et al. Fluctuations in the occurrence of *Escherichia coli* O157:H7 on a Norwegian farm. *Letters in Applied Microbiology* 40:373-377. 2005.
- Wei, H. et al. Combination of warm water and hydrogen peroxide to reduce the numbers of *Salmonella* Typhimurium and *Listeria innocua* on field salad (*Valerianella locusta*). *European Food Research and Technology* 221:180-186. 2005.
- Ajlouni, S. et al. Ultrasonication and fresh produce (Cos lettuce) preservation. *Journal of Food Science* 71:M62-M68. 2006.
- Allende, A. et al. Effectiveness of two-sided UV-C treatments in inhibiting natural microflora and extending the shelf-life of minimally processed 'red oak leaf' lettuce. *Food Microbiology* 23:241-249. 2006.
- Aruscavage D. et al. Interactions affecting the proliferation and control of human pathogens on edible plants. *Journal of Food Science* 71:R89-R99. 2006.
- Brandl, M.T. Fitness of enteric human pathogens on plants and implications for food safety. *Annual Review of Phytopathology* 44:367-392. 2006.
- Cook, N. et al. Towards standard methods for the detection of *Cryptosporidium parvum* on lettuce and raspberries. Part 1: Development and optimization of methods. *International Journal of Food Microbiology* 109:215-221. 2006.
- Cook, N. et al. Towards standard methods for the detection of *Cryptosporidium parvum* on lettuce and raspberries. Part 2: Validation. *International Journal of Food Microbiology* 109:222-228. 2006.
- Cooley, M.B. et al. *Escherichia coli* O157:H7 survival and growth on lettuce is altered by the presence of epiphytic bacteria. *Journal of Food Protection* 69:2329-2335. 2006.
- Corbo, M.R. et al. A novel approach for calculating shelf life of minimally processed vegetables. *International Journal of Food Microbiology* 106:69-73. 2006.

Dallaire, R. et al. A methodological approach for assessing the microbial contamination of fresh produce from harvest to retail. *Food Protection Trends* 26:218-225. 2006.

Delaquis, P.J. et al. Evidence of an antilisterial factor induced by wounding of iceberg lettuce tissue. *Letters in Applied Microbiology* 42:289-295. 2006.

Dubois, E. et al. Intra-laboratory validation of a concentration method adapted for the enumeration of infectious F-specific RNA coliphage, enteroviruses, and hepatitis A virus from inoculated leaves of salad vegetables. *International Journal of Food Microbiology* 108:164-171. 2006.

Ells, T.C. and Hansen, L.T. Strain and growth temperature influence *Listeria* spp. attachment to intact and cut cabbage. *International Journal of Food Microbiology* 111:34-42. 2006.

Fonseca, J.M. Postharvest quality and microbial population of head lettuce as affected by moisture at harvest. *Journal of Food Science* 71:M45-M49. 2006.

Foster, G. et al. Analysis of feces samples collected from a wild-bird garden feeding station in Scotland for the presence of verocytotoxin-producing *Escherichia coli* O157. *Applied and Environmental Microbiology* 72:2265-2267. 2006.

Francis, G.A. and O'Beirne, D. Isolation and pulsed-field gel electrophoresis typing of *Listeria monocytogenes* from modified atmosphere packaged fresh-cut vegetables collected in Ireland. *Journal of Food Protection* 69:2524-2528. 2006.

Geysen, S. et al. Validation of predictive growth models describing superatmospheric oxygen effects on *Pseudomonas fluorescens* and *Listeria monocytogenes* on fresh-cut lettuce. *International Journal of Food Microbiology* 111:48-58. 2006.

Hamilton, A.J. et al. Quantitative microbial risk assessment models for consumption of raw vegetables irrigated with reclaimed water. *Applied and Environmental Microbiology* 72:3284-3290. 2006.

Hellstrom, S. et al. Efficacy of disinfectants to reduce *Listeria monocytogenes* on pre-cut iceberg lettuce. *Journal of Food Protection* 69:1565-1570. 2006.

Huang, T.-S. et al. Decontamination efficacy of combined chlorine dioxide with ultrasonication on apples and lettuce. *Journal of Food Science* 71:M134-M139. 2006.

Johnston, L.M. et al. A field study of the microbiological quality of fresh produce of domestic and Mexican origin. *International Journal of Food Microbiology* 112:83-95. 2006.



Kenney, S.J. et al. Migration of *Caenorhabditis elegans* to manure and manure compost and potential transport of Salmonella Newport to fruits and vegetables. International Journal of Food Microbiology 106:61-68. 2006.

Kilonzo-Nthenge, A. et al. Efficacy of home washing methods in controlling surface microbial contamination on fresh produce. Journal of Food Protection 69:330-334. 2006.

Kim, J.-H. et al. Effect of gamma irradiation on *Listeria ivanovii* inoculated to iceberg lettuce stored at cold temperature. Food Control 17:397-401. 2006.

Kondo, N. et al. Efficiency of sodium hypochlorite, fumaric acid, and mild heat in killing native microflora and *Escherichia coli* O157:H7, *Salmonella* Typhimurium DT104, and *Staphylococcus aureus* attached to fresh-cut lettuce. Journal of Food Protection 69:323-329. 2006.

Koseki, S. and Isobe, S. Effect of ozonated water treatment on microbial control and on browning of iceberg lettuce (*Lactuca sativa* L.). Journal of Food Protection 69:154-160. 2006.

Kostrzynska, M. and Bachand, A. Use of microbial antagonism to reduce pathogen levels on produce and meat products: A review. Canadian Journal of Microbiology 52:1017-1026. 2006.

Lapidot, A. et al. Biofilm formation and the survival of *Salmonella* Typhimurium on parsley. International Journal of Food Microbiology 109:229-233. 2006.

Lee, N.Y. et al. Effect of gamma-irradiation on pathogens inoculated into ready-to-use vegetables. Food Microbiology 23:649-656. 2006.

Lonigro, A. et al. *Giardia* cysts and *Cryptosporidium* oocysts in membrane-filtered municipal wastewater used for irrigation. Applied and Environmental Microbiology 72:7916-7918. 2006.

Mintier, A.M. and Foley, D.M. Electron beam and gamma irradiation effectively reduce *Listeria monocytogenes* populations on chopped romaine lettuce. Journal of Food Protection 69:570-574. 2006.

Moreira, M. del R. et al. Ascorbic acid retention, microbial growth, and sensory acceptability of lettuce leaves subjected to mild heat shocks. Journal of Food Science 71:S188-S192. 2006.

Mukherjee, A. et al. Longitudinal microbiological survey of fresh produce grown by farmers in the upper midwest. Journal of Food Protection 69:1928-1936. 2006.

Ongeng, D. et al. The efficacy of eletrolysed oxidising water for inactivating spoilage microorganisms in process water and on minimally processed vegetables. *International Journal of Food Microbiology* 109:187-197. 2006.

Osman, M. et al. Differential killing activity of cetylpyridinium chloride with or without Bacto neutralizing buffer quench against firmly adhered *Salmonella* Gaminara and *Shigella sonnei* on cut lettuce stored at 4°C. *Journal of Food Protection* 69:1286-1291. 2006.

Rutjes, S.A. et al. Detection of noroviruses in foods: A study on virus extraction procedures in foods implicated in outbreaks of human gastroenteritis. *Journal of Food Protection* 69:1949-1956. 2006.

Simmons, J.L. et al. Comparision of treatment of fresh-cut lettuce and diced tomatoes with sodium hypochlorite and calcium hypochlorite for effects on microbiological and sensory qualities. *Food Protection Trends* 26:662-667. 2006.

Solomon, E.B. and Matthews, K.R. Interaction of live and dead *Escherichia coli* O157:H7 and fluorescent microspheres with lettuce tissue suggest bacterial processes do not mediate adherence. *Letters in Applied Microbiology* 42:88-93. 2006.

Sproston, E.L. et al. Slugs: Potential novel vectors of *Escherichia coli* O157. *Applied and Environmental Microbiology* 72:144-149. 2006.

Tyrrel, S.F. et al. Microbiological water quality requirements for salad irrigation in the United Kingdom. *Journal of Food Protection* 69:2029-2035. 2006.

Vega, E. et al. Variability of virus attachment patterns to butterhead lettuce. *Journal of Food Protection* 69:2112-2117. 2006.

You, Y. et al. Survival of *Salmonella enterica* serovar Newport in manure and manure-amended soils. *Applied and Environmental Microbiology* 72:5777-5783. 2006.

Yuk, H.-G. et al. Effect of combined ozone and organic acid treatment for control of *Escherichia coli* O157:H7 and *Listeria monocytogenes* on lettuce. *Journal of Food Science* 71:M83-M87. 2006.

Zhang, L. et al. Effect of gamma irradiation on microbial growth and sensory quality of fresh-cut lettuce. *International Journal of Food Microbiology* 106:348-351. 2006.

Zhang, L. et al. Effect of  $\gamma$  irradiation on quality-maintaining of fresh-cut lettuce. *Food Control* 17:225-228. 2006.

Akbaz, M.Y. and Olmez, H. Inactivation of *Escherichia coli* and *Listeria monocytogenes* on iceberg lettuce by dip treatments with organic acids. *Letters in Applied Microbiology* 44:619-624. 2007.

Allende, A. et al. Growth and bacteriocin production by lactic acid bacteria in vegetable broth and their effectiveness at reducing *Listeria monocytogenes* in vitro and in fresh-cut lettuce. *Food Microbiology* 24:759-766. 2007.

Badosa, E. et al. Microbiological quality of fresh fruit and vegetable products in Catalonia (Spain) using normalized plate-counting methods and real time polymerase chain reaction (QPCR). *Journal of the Science of Food and Agriculture* 2007.

Bernstein, N. et al. Assessment of contamination potential of lettuce by *Salmonella enterica* serovar Newport added to the plant growing medium. *Journal of Food Protection* 70:1717-1722. 2007.

Boyer, R.R. et al. Influence of curli expression by *Escherichia coli* O157:H7 on the cell's overall hydrophobicity, charge, and ability to attach to lettuce. *Journal of Food Protection* 70:1339-1345. 2007.

Butot, S. et al. Procedure for rapid concentration and detection of enteric viruses from berries and vegetables. *Applied and Environmental Microbiology* 73:186-192. 2007.

Carrasco, E. et al. Survey of temperature and consumption patterns of fresh-cut leafy green salads: Risk factors for listeriosis. *Journal of Food Protection* 70:2407-2412. 2007.

Chang, J.-M. and Fang, T.J. Survival of *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium in iceberg lettuce and the antimicrobial effect of rice vinegar against *E. coli* O157:H7. *Food Microbiology* 24:745-751. 2007.

Chai, L.C. et al. Thermophilic *Campylobacter* spp. in salad vegetables in Malaysia. *International Journal of Food Microbiology* 117:106-111. 2007.

Cook, N. et al. Development of a method for detection of *Giardia duodenalis* cysts on lettuce and for simultaneous analysis of salad products for the presence of *Giardia* cysts and *Cryptosporidium* oocysts. *Applied and Environmental Microbiology* 73:7388-7391. 2007.

Cooley, M. et al. Incidence and tracking of *Escherichia coli* O157:H7 in a major produce production region in California. *PLoS One* ([www.plosone.org](http://www.plosone.org)) Issue 11:e1159. 2007.

Crepet, A. et al. Estimation of microbial contamination of food from prevalence and concentration data: Application to *Listeria monocytogenes* in fresh vegetables. *Applied and Environmental Microbiology* 73:250-258. 2007.

Critzer, F.J. et al. Atmospheric plasma inactivation of foodborne pathogens on fresh produce surfaces. *Journal of Food Protection* 70:2290-2296. 2007.

Delaquis, P. et al. Behavior of *Escherichia coli* O157:H7 in leafy vegetables. *Journal of Food Protection* 70:1966-1974. 2007.

Dreux, N. et al. Viable but non-culturable *Listeria monocytogenes* on parsley leaves and absence of recovery to a culturable state. *Journal of Applied Microbiology* 103:1272-1281. 2007.

Dreux, N. et al. Fate of *Listeria* spp. on parsley leaves grown in laboratory and field cultures. *Journal of Applied Microbiology* 103:1821-1827. 2007.

Dubois, E. et al. Detection and quantitation by real-time RT-PCR of hepatitis A virus from inoculated tap waters, salad vegetables, and soft fruits: Characterization of the method performances. *International Journal of Food Microbiology* 117:141-149. 2007.

Franz, E. et al. Quantification of contamination of lettuce by GFP-expressing *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium. *Food Microbiology* 24:106-112. 2007.

Froder, H. et al. Minimally processed vegetable salads: Microbial quality evaluation. *Journal of Food Protection* 70:1277-1280. 2007.

Geysen, S. et al. Modelling the effect of super-atmospheric oxygen and carbon dioxide concentrations on the respiration of fresh-cut butterhead lettuce. *Journal of the Science of Food and Agriculture* 87:218-226. 2007.

Gomez-Lopez, V.M. et al. Shelf-life of minimally processed cabbage treated with neutral electrolysed oxidizing water and stored under equilibrium modified atmosphere. *International Journal of Food Microbiology* 117:91-98. 2007.

Groth, E. Food irradiation for fresh produce. The Organic Center Critical Issue Report (April). 2007.

Hassenberg, K. et al. Use of ozone in a lettuce-washing process: An industrial trial. *Journal of the Science of Food and Agriculture* 87:914-919. 2007.

Himathongkham, S. et al. Recirculating immunomagnetic separation and optimal enrichment conditions for enhanced detection and recovery of low levels of *Escherichia coli* O157:H7 from fresh leafy produce and surface water. *Journal of Food Protection* 70:2717-2724. 2007.

Ibekwe, A.M. et al. Survival of *Escherichia coli* O157:H7 in soil and on lettuce after soil fumigation. *Canadian Journal of Microbiology* 53:623-635. 2007.

Ingram, D.T. and Millner, P.D. Factors affecting compost tea as a potential source of *Escherichia coli* and *Salmonella* on fresh produce. *Journal of Food Protection* 70:828-834. 2007.

Jay, M.T. et al. *Escherichia coli* O157:H7 in feral swine near spinach fields and cattle, central California coast. *Emerging Infectious Diseases* 13:1908-1911. 2007.

Jedrzejewski, S. et al. Quantitative assessment of contamination of fresh food produce of various retail types by human-virulent Microsporidian spores. *Applied and Environmental Microbiology* 73:4071-4073. 2007.

Karapinar, M. and Sengun, I.Y. Antimicrobial effect of koruk (unripe grape – *Vitis vinifera*) juice against *Salmonella* Typhimurium on salad vegetables. *Food Control* 18:702-706. 2007.

Klerks, M.M. et al. Physiological and molecular responses of *Lactuca sativa* to colonization by *Salmonella enterica* serovar Dublin. *Applied and Environmental Microbiology* 73:4905-4914. 2007.

Little, C.L. et al. Prevalence and level of *Listeria monocytogenes* and other *Listeria* species in retail pre-packaged mixed vegetable salads in the UK. *Food Microbiology* 24:711-717. 2007.

Lu, F.-X. et al. Predictive modeling and growth models on aerobic mesophilic bacteria on fresh-cut lettuce by hypochlorite-washing. *Journal of Food Safety* 27:157-168. 2007.

Lu, Z. et al. Model of microbial growth on fresh-cut lettuce treated with chlorinated water during storage under different temperatures. *Journal of Food Process Engineering* 30:106-108. 2007.

Luo, Y. Fresh-cut produce wash water reuse affects water quality and packaged product quality and microbial growth in Romaine lettuce. *HortScience* 42:1413-1419. 2007.

Maraldo, D. and Mutharasan, R. Preparation-free method for detecting *Escherichia coli* O157:H7 in the presence of spinach, spring lettuce mix, and ground beef particulates. *Journal of Food Protection* 70:2651-2655. 2007.

Mattison, K. et al. Survival of calicivirus in foods and on surfaces: Experiments with feline calicivirus as a surrogate for norovirus. *Journal of Food Protection* 70:500-503. 2007.

Moore, J.E. et al. Detection of *Cryptosporidium parvum* in lettuce. *International Journal of Food Science and Technology* 42:385-393. 2007.

Mukherjee, A. et al. Association of farm management practices with risk of *Escherichia coli* contamination in pre-harvest produce grown in Minnesota and Wisconsin. *International Journal of Food Microbiology* 120:296-302. 2007.

- Niemira, B.A. Relative efficacy of sodium hypochlorite wash versus irradiation to inactivate *Escherichia coli* O157:H7 internalized in leaves of Romaine lettuce and baby spinach. *Journal of Food Protection* 2526-2532. 2007.
- Nthenge, A.K. et al. Efficacy of gamma radiation and aqueous chlorine on *Escherichia coli* O157:H7 in hydroponically grown lettuce plants. *Journal of Food Protection* 70:748-752. 2007.
- Ongeng, D. et al. The effect of micro-architectural structure of cabbage substratum and or background bacterial flora on the growth of *Listeria monocytogenes*. *International Journal of Food Microbiology* 119:291-299. 2007.
- Palumbo, M.S. et al. Recommendations for handling fresh-cut leafy green salads by consumers and retail foodservice operators. *Food Protection Trends* 27:892-898. 2007.
- Park, E.-J. and Kang, D.-H. The use of bacterial alkaline phosphatase assay for rapid monitoring of bacterial counts on spinach. *Journal of Food Science* 73:M236-M238. 2008.
- Selma, M.V. et al. Elimination by ozone of *Shigella sonnei* in shredded lettuce and water. *Food Microbiology* 24:492-499. 2007.
- Valero, M. et al. Survival, isolation and characterization of a psychrotrophic *Bacillus cereus* strain from a mayonnaise-based ready-to-eat vegetable salad. *Food Microbiology* 24:671-677. 2007.
- Abadias, M. et al. Microbiological quality of fresh, minimally-processed fruit and vegetables, and sprouts from retail establishments. *International Journal of Food Microbiology* 123:121-129. 2008.
- Abadias, M. et al. Efficacy of neutral electrolyzed water (NEW) for reducing microbial contamination on minimally-processed vegetables. *International Journal of Food Microbiology* 123:151-158. 2008.
- Abong'o, B.O. et al. Prevalence and antimicrobial susceptibility of *Escherichia coli* O157:H7 in vegetables sold in the Amathole District, Eastern Cape Province of South Africa. *Journal of Food Protection* 71:816-819. 2008.
- Abriouel, H. et al. Comparative analysis of genetic diversity and incidence of virulence factors and antibiotic resistance among enterococcal populations from raw fruit and vegetable foods, water and soil, and clinical samples. *International Journal of Food Microbiology* 123:38-49. 2008.
- Abuladze, T. et al. Bacteriophages reduce experimental contamination of hard surfaces, tomato, spinach, broccolli, and ground beef by *Escherichia coli* o157:H7. *Applied and Environmental Microbiology* 74:6230-6238. 2008.

Ailes E.C. et al. Microbial concentrations on fresh produce are affected by postharvest processing, importation, and season. *Journal of Food Protection* 71:2389-2397. 2008.

Allende, A. et al. Impact of wash water quality on sensory and microbial quality including *Escherichia coli* cross-contamination of fresh-cut escarole. *Journal of Food Protection* 71:2514-2518. 2008.

Aruscavage, D. et al. Survival and dissemination of *Escherichia coli* O157:H7 on physically and biologically damaged lettuce plants. *Journal of Food Protection* 71:2384-2388. 2008.

Baert, L. et al. Survival and transfer of murine norovirus 1, a surrogate for human noroviruses, during the production process of deep-frozen onions and spinach. *Journal of Food Protection* 71:1590-1597. 2008.

Barak, J.D. et al. Differential attachment to and subsequent contamination of agricultural crops by *Salmonella enterica*. *Applied and Environmental Microbiology* 74:5568-5570. 2008.

Bezanson, G.S. et al. Presence and potential for horizontal transfer of antibiotic resistance in oxidase-positive bacteria populating raw salad vegetables. *International Journal of Food Microbiology* 127:37-42. 2008.

Brandl, M.T. Plant lesions promote the rapid multiplication of *Escherichia coli* O157:H7 on postharvest lettuce. *Applied and Environmental Microbiology* 74:5285-5289. 2008.

Brandl, M.T. and Amundson, R. Leaf age as a risk factor in contamination of lettuce with *Escherichia coli* O157:H7 and *Salmonella enterica*. *Applied and Environmental Microbiology* 74:2298-2306. 2008.

Butot, S. et al. Effects of sanitation, freezing and frozen storage on enteric viruses in berries and herbs. *International Journal of Food Microbiology* 126:30-35. 2008.

California Food Emergency Response Team. Investigation of the Taco John's *Escherichia coli* O157:H7 outbreak associated with iceberg lettuces. California Department of Public Health and U.S. Food and Drug Administration. February 15, 2008.

Carrasco, E. et al. Growth of *Listeria monocytogenes* on shredded, ready-to-eat iceberg lettuce. *Food Control* 19:487-494. 2008.

Casteel, M.J. et al. Chlorine disinfection of produce to inactivate hepatitis A virus and coliphage MS2. *International Journal of Food Microbiology* 125:267-273. 2008.

Chua, D. et al. Fresh-cut lettuce in modified atmosphere packages stored at improper temperatures supports enterohemorrhagic *E. coli* isolates to survive gastric acid challenge. *Journal of Food Science* (Early on-line release). 2008.

Chua, T. and Bhagwat, A.A. A rapid and simple DNA extraction procedure to detect *Salmonella* spp. and *Listeria monocytogenes* from fresh produce using real-time PCR. *Food Analytical Methods* June (on line) 2008 .

Daryani, A. et al. Prevalence of intestinal parasites in vegetables consumed in Ardabil, Iran. *Food Control* 19:790-794. 2008.

Dreux, N. et al. Glycine betaine improves *Listeria monocytogenes* tolerance to desiccation on parsley leaves independent of the osmolyte transporters BetL, Gbu and OpuC. *Journal of Applied Microbiology* 104:1221-1227. 2008.

Elizaquivel, P. and Aznar, R. A multiplex RTi-PCR reaction for simultaneous detection of *Escherichia coli* O157:H7, *Salmonella* spp., and *Staphylococcus aureus* on fresh, minimally processed vegetables. *Food Microbiology* 25:705-713. 2008.

Fan, X. and Sokorai, K.J.B. Retention of quality and nutritional value of 13 fresh-cut vegetables treated with low-dose radiation. *Journal of Food Science* 73:S367-S372. 2008.

Fino, V.R. and Kniel, K.E. UV light inactivation of hepatitis A virus, aichi virus, and feline calicivirus on strawberries, green onions, and lettuce. *Journal of Food Protection* 71:908-913. 2008.

Franz, E. et al. Modelling the contamination of lettuce with *Escherichia coli* O157:H7 from manure-amended soil and the effect of intervention strategies. *Journal of Applied Microbiology* 105:1569-1584. 2008.

Grant, M.A. Comparison of *Escherichia coli* O157:H7 enrichment in spiked produce samples. *Journal of Food Protection* 71:139-145. 2008.

Grant, J. et al. Spinach-associated *Escherichia coli* O157:H7 outbreak, Utah and New Mexico, 2006. *Emerging Infectious Diseases* 14:1633-1636.

Gomes, C. et al. E-beam irradiation of bagged, ready-to-eat spinach leaves (*Spinacea oleracea*): An engineering approach. *Journal of Food Science* 73:E95-E102. 2008.

Gomez-Lopez, V.M. et al. Shelf-life of minimally processed lettuce and cabbage treated with gaseous chlorine dioxide and cysteine. *International Journal of Food Microbiology* 121:74-83. 2008.



Gourabathini, P. et al. Interactions between food-borne pathogens and protozoa isolated from lettuce and spinach. *Applied and Environmental Microbiology* 74:2518-2525. 2008.

Guentzel, J.L. et al. Reduction of bacteria on spinach, lettuce, and surfaces in food service areas using neutral electrolyzed water. *Food Microbiology* 25:36-41. 2008.

Gutierrez, J. et al. Efficacy of plant essential oils against foodborne pathogens and spoilage bacteria associated with ready-to-eat vegetables: Antimicrobial and sensory screening. *Journal of Food Protection* 71:1846-1854. 2008.

Hadjok, C. et al. Inactivation of human pathogens and spoilage bacteria on the surface and internalized within fresh produce by using a combination of ultraviolet light and hydrogen peroxide. *Journal of Applied Microbiology* 104:1014-1024. 2008.

Horsfall, E.S. California Leafy Greens Marketing Agreement Emerges as a Model Program for Food Safety. *Food Safety Magazine* 14(4):62-66. 2008.

Hutchison, M.L. et al. The air-borne distribution of zoonotic agents from livestock waste spreading and microbiological risk to fresh produce from contaminated irrigation sources. *Journal of Applied Microbiology* 105:848-857. 2008.

Ilic, S. et al. Coliforms and prevalence of *Escherichia coli* and foodborne pathogens on minimally processed spinach in two packing plants. *Journal of Food Protection* 71:2398-2403. 2008.

Insulander, M. et al. A food-borne outbreak of cryptosporidiosis among guests and staff at a hotel restaurant in Stockholm County, Sweden, September 2008. *Eurosurveillance* 13(51): 18 December. 2008.

Kim, J.K. and Harrison, M.A. Transfer of *Escherichia coli* O157:H7 to Romaine lettuce due to contact water from melting ice. *Journal of Food Protection* 71:252-256. 2008.

Kim, Y.-K. et al. Inactivation of *Escherichia coli* O157:H7, *Salmonella typhimurium*, and *Listeria monocytogenes* on stored iceberg lettuce by aqueous chlorine dioxide treatment. *Journal of Food Science* 73:M418-M422. 2008.

Kotewicz, M.L. et al. Optical mapping and 454 sequencing of *Escherichia coli* O157:H7 isolates linked to the US 2006 spinach-associated outbreak. *Microbiology* 154:3518-3528. 2008.

Li, H. et al. Impact of vacuum cooling on *Escherichia coli* O157:H7 infiltration into lettuce tissue. *Applied and Environmental Microbiology* 74:3138-3142. 2008.

Little, C.L. and Gillespie, I.A. Prepared salads and public health. *Journal of Applied Microbiology* 105:1729-1743. 2008.

Mahmoud, B.S.M. and Linton, R. H. Inactivation kinetics of inoculated *Escherichia coli* O157:H7 and *Salmonella enterica* on lettuce by chlorine dioxide gas. *Food Microbiology* 25:244-252. 2008.

Mukherjee, A. et al. Altered utilization of N-acetyl-D-galactosamine by *Escherichia coli* O157:H7 from the 2006 spinach outbreak. *Journal of Bacteriology* 190:1710-1717. 2008.

Neal, J.A. et al. Reduction of *Escherichia coli* O157:H7 and *Salmonella* on baby spinach, using electron beam radiation. *Journal of Food Protection* 71:2415-2420. 2008.

Niemira, B.A. Irradiation compared with chlorination for elimination of *Escherichia coli* O157:H7 internalized in lettuce leaves: Influence of lettuce variety. *Journal of Food Science* 73:M208-M213. 2008.

Nygard, K. et al. Outbreak of *Salmonella* Thompson infections linked to imported Rucola lettuce. *Foodborne Pathogens and Disease* 5:165-173. 2008.

Pappelbaum, K. et al. Monitoring hygiene on- and at-line is critical for controlling *Listeria monocytogenes* during produce processing. *Journal of Food Protection* 71:735-741. 2008.

Park, E.-J. et al. Effect of electrolyzed water for reduction of foodborne pathogens on lettuce and spinach. *Journal of Food Science* 73:M268-M272. 2008.

Park, E.-J. et al. Effects of organic matter on acidic electrolysed water for reduction of foodborne pathogens on lettuce and spinach. *Journal of Applied Microbiology* 105:1802-1809. 2008.

Pezzoli, L. et al. Packed with *Salmonella* – Investigation of an international outbreak of *Salmonella* Senftenberg infection linked to contamination of prepacked basil in 2007. *Foodborne Pathogens and Disease* 5:661-668. 2008.

Ponce, A.G. et al. Dynamics of indigenous microbial populations of butter head lettuce grown in mulch and on bare soil. *Journal of Food Science* 73:M257-M263. 2008.

Rajkowski, K.T. and Fan, X. Microbial quality of fresh-cut iceberg lettuce washed in warm or cold water and irradiated in a modified atmosphere package. *Journal of Food Safety* 28:248-260. 2008.

Selma, M.V. et al. Heterogeneous photocatalytic disinfection of wash waters from the fresh-cut vegetable industry. *Journal of Food Protection* 71:286-292. 2008.

Selma, M.V. et al. Disinfection potential of ozone, ultraviolet-C and their combination in wash water for the fresh-cut industry. *Food Microbiology* 25:809-814. 2008.

- Shaw, R.K. et al. Enterohemorrhagic *Escherichia coli* exploits EspA filaments for attachment to salad leaves. *Applied and Environmental Microbiology* 74:2908-2914. 2008.
- Stopforth, J.D. et al. Effect of acidified sodium chlorite, chlorine, and acidic electrolyzed water on *Escherichia coli* O157:H7, *Salmonella*, and *Listeria monocytogenes* inoculated onto leafy greens. *Journal of Food Protection* 71:625-628. 2008.
- Suthiluk, P. et al. Possibility of using near infrared spectroscopy for evaluation of bacterial contamination in shredded cabbage. *International Journal of Food Science and Technology* 43:160-165. 2008.
- Trias, R. et al. Bioprotection of golden delicious apples and iceberg lettuce against foodborne bacterial pathogens by lactic acid bacteria. *International Journal of Food Microbiology* 123:50-60. 2008.
- Trias, R. et al. Bioprotective *Leuconostoc* strains against *Listeria monocytogenes* in fresh fruits and vegetables. *International Journal of Food Microbiology* 127:91-98. 2008.
- Uhlich, G.A. et al. Characterization of shiga toxin-producing *Escherichia coli* isolates associated with two multistate food-borne outbreaks that occurred in 2006. *Applied and Environmental Microbiology* 74:1268-1272. 2008.
- Vega, E. et al. Electrostatic forces control nonspecific virus attachment to lettuce. *Journal of Food Protection* 71:522-529. 2008.
- Valentin-Bon, I. et al. Microbiological quality of bagged cut spinach and lettuce mixes. *Applied and Environmental Microbiology* 74:1240-1242. 2008.
- Xie, Y. et al. Inactivation of MS2 F(+) coliphage on lettuce by a combination of UV light and hydrogen peroxide. *Journal of Food Protection* 71:903-907. 2008.
- Zhong, Q. et al. Nonthermal inactivation of *Escherichia coli* K-12 on spinach leaves, using dense phase carbon dioxide. *Journal of Food Protection* 71:1015-1017. 2008.
- Allende, A. et al. Antimicrobial effect of acidified sodium chlorite, sodium chlorite, sodium hypochlorite, and citric acid on *Escherichia coli* O157:H7 and natural microflora of fresh-cut cilantro. *Food Control* 20:230-234. 2009.
- Baert, L. et al. Efficacy of sodium hypochlorite and peroxyacetic acid to reduce murine norovirus 1, B40-8, *Listeria monocytogenes*, and *Escherichia coli* O157:H7 on shredded iceberg lettuce and in residual wash water. *Journal of Food Protection* 72:1047-1054. 2009.

- Barker-Reid, F. et al. Persistence of *Escherichia coli* on injured Iceberg lettuce in the field, overhead irrigated with contaminated water. *Journal of Food Protection* 72:458-464. 2009.
- Bohaychuk, V. M. et al. A microbiological survey of selected Alberta-grown fresh produce from farmers' markets in Alberta, Canada. *Journal of Food Protection* 72:415-420. 2009.
- Butot, S. et al. Inactivation of enteric viruses in minimally processed berries and herbs. *Applied and Environmental Microbiology* 75:4155-4161. 2009.
- Cheong, S. et al. Enteric viruses in raw vegetables and groundwater used for irrigation in South Korea. *Applied and Environmental Microbiology* 75:7745-7751. 2009.
- Cordano, A.M. and Jacquet, C. *Listeria monocytogenes* isolated from vegetable salads sold at supermarkets in Santiago, Chile: Prevalence and strain characterization. *International Journal of Food Microbiology* 132:176-179. 2009.
- Crepet, A. et al. Development of a hierarchical Bayesian model to estimate the growth parameters of *Listeria monocytogenes* in minimally processed fresh leafy salads. *International Journal of Food Microbiology* 131:112-119. 2009.
- D'Lima, C.B. and T.V. Suslow. Comparative evaluation of practical functionality of rapid test format kits for detection of *Escherichia coli* O157:H7 on lettuce and leafy greens. *Journal of Food Protection* 72:2461-2470. 2009.
- Doering, H.J. et al. Use of the systems approach to determine the fate of *Escherichia coli* O157:H7 on fresh lettuce and spinach. *Journal of Food Protection* 72:1560-1568. 2009.
- Elviss, N.C. et al. Microbiological study of fresh herbs from retail uncovers an international outbreak of salmonellosis. *International Journal of Food Microbiology* 134:83-88. 2009.
- Gil, M.I. et al. Fresh-cut product sanitation and wash water disinfection: Problems and solutions. *International Journal of Food Microbiology* 134:37-45. 2009.
- Gomes, C. et al. Understanding *E. coli* internalization in lettuce leaves for optimization of irradiation treatment. *International Journal of Food Microbiology* 135:238-247. 2009.
- Gunduz, G.T. et al. Efficacy of myrtle oil against *Salmonella* Typhimurium of fresh produce. *International Journal of Food Microbiology* 130:147-150. 2009.
- Gupta, N. et al. Prevalence of intestinal helminth eggs on vegetables grown in wastewater-irrigated areas of Titagarh, West Bengal, India. *Food Control* 20:942-945. 2009.

Hanning I.B. et al. Salmonellosis: Outbreaks in the United States due to fresh produce: Sources and potential intervention measures. *Foodborne Pathogens and Disease* 6:635-648. 2009.

Hawaree, N. et al. Effects of drying temperature and surface characteristics of vegetable on the survival of *Salmonella*. *Journal of Food Science* 74:E16-E22. 2009.

Johnston, M.A. et al. Microbial antagonists of *Escherichia coli* O157:H7 on fresh-cut lettuce and spinach. *Journal of Food Protection* 12:1569-1575. 2009.

Keskinen, L.A. et al. Efficacy of chlorine, acidic electrolyzed water and aqueous chlorine dioxide solutions to decontaminate *Escherichia coli* O157:H7 from lettuce leaves. *International Journal of Food Microbiology* 132:134-140. 2009.

Kim, J.K. and Harrison, M.A. Surrogate selection for *Escherichia coli* O157:H7 based on cryptotolerance and attachment to Romaine lettuce. *Journal of Food Protection* 72:1385-1391. 2009.

Kim, J. et al. Factors impacting the regrowth of *Escherichia coli* O157:H7 in dairy manure compost. *Journal of Food Protection* 72:1576-1584. 2009.

Kim, Y. et al. Disinfection of iceberg lettuce by titanium dioxide – UV photocatalytic reaction. *Journal of Food Protection* 72:1916-1922. 2009.

Koide, S. et al. Disinfection efficacy of slightly acidic electrolyzed water on fresh cut cabbage. *Food Control* 20:294-297. 2009.

Kroupitski, Y. et al. Internalization of *Salmonella enterica* in leaves is induced by light and involves chemotaxis and penetration through open stomata. *Applied and Environmental Microbiology* 75:6076-6086. 2009.

Kroupitski, Y. et al. Interactions of *Salmonella enterica* with lettuce leaves. *Journal of Applied Microbiology* 106:1876-1885. 2009.

Lopez-Galvez, F. et al. Prevention of *Escherichia coli* cross-contamination by different commercial sanitizers during washing of fresh-cut lettuce. *International Journal of Food Microbiology* 133:167-171. 2009.

Luo, Y. et al. Fate of *Escherichia coli* O157:H7 in the presence of indigenous microorganisms on commercially packaged baby spinach, as impacted by storage temperature and time. *Journal of Food Protection* 72:2038-2045. 2009.

McEvoy, J.L. et al. Potential of *Escherichia coli* O157:H7 to grow on field-cored lettuce as impacted by postharvest storage time and temperature. *International Journal of Food Microbiology* 128:506-509. 2009.

- Meldrum, R.J. et al. Assessment of the microbiological safety of salad vegetables and sauces from kebab take-away restaurants in the United Kingdom. *Food Microbiology* 26:573-577. 2009.
- Miranda, J.M. et al. Prevalence and antimicrobial resistance patterns of *Salmonella* from different raw foods in Mexico. *Journal of Food Protection* 72:966-971. 2009.
- Mitra, R., et al. Effect of route of introduction and host cultivar on the colonization, internalization, and movement of the human pathogen *Escherichia coli* O157:H7 in spinach. *Journal of Food Protection* 72:1521-1530. 2009.
- Mootian, G. et al. Transfer of *Escherichia coli* O157:H7 from soil, water, and manure contamination with low numbers of the pathogen to lettuce leaves. *Journal of Food Protection* 72:2308-2312. 2009.
- Mota, A. et al. Risk assessment of *Cryptosporidium* and *Giardia* in water irrigating fresh produce in Mexico. *Journal of Food Protection* 72:2184-2188. 2009.
- Obaidat, M.M. and Frank, J.F. Inactivation of *Escherichia coli* O157:H7 on the intact and damaged portion of lettuce and spinach leaves by using allyl isothiocyanate, carvacrol, and cinnamaldehyde in vapor phase. *Journal of Food Protection* 72:2046-2055. 2009.
- Pakalniskiene, J. et al. A foodborne outbreak of enterotoxigenic *E. coli* and *Salmonella* Anatum infection after a high-school dinner in Denmark, November 2006. *Epidemiology and Infection* 137:396-401. 2009.
- Pangloli, P. et al. Reduction of *Escherichia coli* O157:H7 on produce by use of electrolyzed water under simulated food service operations conditions. *Journal of Food Protection* 72:1854-1861. 2009.
- Pu, S. et al. Effects of plant maturity and growth media bacterial inoculums level on the surface contamination and internalization of *Escherichia coli* O157:H7 in growing spinach leaves. *Journal of Food Protection* 72:2313-2320. 2009.
- Quiroz-Santiago, C. et al. Prevalence of *Salmonella* in vegetables from Mexico. *Journal of Food Protection* 1279-1282. 2009.
- Randazzo, C.L. et al. Polyphasic characterization of bacterial community in fresh cut salads. *International Journal of Food Microbiology* 128:484-490. 2009.
- Randazzo, C.L. et al. Biopreservation of minimally processed iceberg lettuce using a bacteriocin produced by *Lactococcus lactis* wild strain. *Food Control* 20:756-763. 2009.

Samadi, N. et al. Efficacy of detergents and fresh produce disinfectants against microorganisms associated with raw vegetables. *Journal of Food Protection* 72:1486-1490. 2009.

Samara, A. et al. Effect of treating lettuce surfaces with acidulants on the behaviour of *Listeria monocytogenes* during storage at 5 and 20 °C and subsequent exposure to simulated gastric fluid. *International Journal of Food Microbiology* 129:1-7. 2009.

Semenov, A.V. et al. Percolation and survival of *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium in soil amended with contaminated dairy manure or slurry. *Applied and Environmental Microbiology* 75:3206-3215. 2009.

Sharma, M. et al. A novel approach to investigate the uptake and internalization of *Escherichia coli* O157:H7 in spinach cultivated in soil and hydroponic medium. *Journal of Food Protection* 72:1513-1520. 2009.

Sharma, M. et al. Effectiveness of bacteriophages in reducing *Escherichia coli* O157:H7 on fresh-cut cantaloupes and lettuce. *Journal of Food Protection* 72:1481-1485. 2009.

Shieh, Y.C. et al. Survival of hepatitis A virus in spinach during low temperature storage. *Journal of Food Protection* 72:2390-2393. 2009.

Shirron, N. et al. A comparative study assaying commonly used sanitizers for antimicrobial activity against indicator bacteria and a *Salmonella* Typhimurium strain on fresh produce. *Journal of Food Protection* 72:2413-2417. 2009.

Silagyi, K. et al. Production of biofilm and quorum sensing by *Escherichia coli* O157:H7 and its transfer from contact surfaces to meat, poultry, ready-to-eat deli, and produce products. *Food Microbiology* 26:514-519. 2009

Talley, J.L. et al. Association of *Escherichia coli* O157:H7 with filth flies (Muscidae and Calliphoridae) captured in leafy green fields and experimental transmission of *E. coli* O157:H7 to spinach leaves by house flies (Diptera: Muscidae). *Journal of Food Protection* 72:1547-1552. 2009.

Taormina, P.J. et al. Transfer of *Escherichia coli* O157:H7 to iceberg lettuce via simulated field coring. *Journal of Food Protection* 72:465-472. 2009.

Theofel, C.G. and Harris, L.J. Impact of preinoculation culture conditions on the behavior of *Escherichia coli* O157:H7 inoculated onto Romaine lettuce (*Lactuca sativa*) plants and cut leaf surfaces. *Journal of Food Protection* 72:1553-1559. 2009.

Velazquez, L.D.C. et al. Evaluation of chlorine, benzalkonium chloride and lactic acid as sanitizers for reducing *Escherichia coli* O157:H7 and *Yersinia enterocolitica* on fresh vegetables. *Food Control* 20:262-268. 2009.

Vurma, M. et al. Inactivation of *Escherichia coli* O157:H7 and natural microbiota on spinach leaves using gaseous ozone during vacuum cooling and simulated transportation. *Journal of Food Protection* 72:1538-1546. 2009.

Wießner, S. et al. Hygienic quality of head lettuce: Effects of organic and mineral fertilizers. *Food Control* 20:881-886. 2009.

Wilson, R.S. et al. Contamination prevention and response related to fresh and fresh-cut produce: An expert perspective on the farmer decision making process. *Food Protection Trends* 29:488-492. 2009.

Xicohtencatl-Cortes, J. et al. Interaction of *Escherichia coli* O157:H7 with leafy green produce. *Journal of Food Protection* 72:1531-1537. 2009.

Zhang, G., et al. Evaluation of treatments for elimination of foodborne pathogens on the surface of leaves and roots of lettuce (*Lactuca sativa* L.). *Journal of Food Protection* 72:228-234. 2009.

Zhang, G. et al. Efficacy of antimicrobial agents in lettuce leaf processing water for control of *Escherichia coli* O157:H7. *Journal of Food Protection* 72:1392-1397.

Zhang, G. et al. Lack of internalization of *Escherichia coli* O157:H7 in lettuce (*Lactuca sativa* L.) after leaf surface and soil inoculation. *Journal of Food Protection* 72:2028-2037. 2009.

Zhang, G. et al. Heat and drought stress during growth of lettuce (*Lactuca sativa* L.) does not promote internalization of *Escherichia coli* O157:H7. *Journal of Food Protection* 72:2471-2475. 2009.

Zhao, T. et al. Inactivation of *Salmonella* and *Escherichia coli* O157:H7 on lettuce and poultry skin by combinations of levulinic acid and sodium dodecyl sulfate. *Journal of Food Protection* 72:928-936. 2009.

Zhou, B. et al. Ultrasound enhanced sanitizer efficacy in reduction of *Escherichia coli* O157:H7 population on spinach leaves. *Journal of Food Science* 74:M308-M313. 2009.

Abougrain, A.K., et al. Parasitological contamination in salad vegetables in Tripoli-Libya. *Food Control* 21:760-762. 2010.

Aparecida de Oliveira, M. et al. Quantification of *Listeria monocytogenes* in minimally processed leafy vegetables using a combined method based on enrichment and 16S rRNA real-time PCR. *Food Microbiology* 27:19-23. 2010.

Chiu, P.-E. and L.-S. Lai. Antimicrobial activities of tapioca starch/decolorized hsian-tsao leaf gum coatings containing green tea extracts in fruit-based salads, romaine hearts and pork slices. *International Journal of Food Microbiology* 139:23-30. 2010.



Ells, T.C. and L.T. Hansen. Growth of *Listeria* spp. in shredded cabbage is enhanced by a mild heat treatment. *Journal of Food Protection* 73:425-433. 2010.

Erickson, M.C. et al. Infrequent internalization of *Escherichia coli* O157:H7 into field-grown leafy greens. *Journal of Food Protection* 73:500-506. 2010.

Fischer-Arndt, M. et al. Effects of weed management practices on enteric pathogen transfer into lettuce (*Lactuca sativa* var. *capitata*). *Food Control* 21:1004-1010. 2010.

Gopal, A. et al. Alternative disinfection techniques to extend the shelf life of minimally processed iceberg lettuce. *Food Microbiology* 27:210-219. 2010.

Gunduz, G.T. et al. Efficacy of oregano oil in the inactivation of *Salmonella typhimurium* on lettuce. *Food Control* 21:513-517. 2010.

Harapas, D. et al. Persistence of *Escherichia coli* on injured vegetable plants. *International Journal of Food Microbiology* 138:232-237. 2010.

Jeong, S. et al. Inactivation of *Escherichia coli* O157:H7 on lettuce, using low-energy X-ray irradiation. *Journal of Food Protection* 73:547-551. 2010.

Kyle, J.L. et al. Transcriptome analysis of *Escherichia coli* O157:H7 exposed to lysates of lettuce leaves. *Applied and Environmental Microbiology* 76:1375-1387. 2010.

Macarisin, D. et al. *Spinacia oleracea* leaf stomata harboring *Cryptosporidium parvum* oocysts: A potential threat to food safety. *Applied and Environmental Microbiology* 76:555-559. 2010.

Mahmoud, B.S.M. Effects of X-ray radiation on *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Salmonella enterica* and *Shigella flexneri* inoculated on shredded iceberg lettuce. *Food Microbiology* 27:109-114. 2010.

Mahmoud, B.S.M. et al. Inactivation of *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Salmonella enterica* and *Shigella flexneri* on spinach leaves by X-ray. *Food Microbiology* 27:24-28. 2010.

Oliveira, M. et al. Effects of packaging type and storage temperature on the growth of foodborne pathogens on shredded 'Romaine' lettuce. *Food Microbiology* 27:375-380. 2010.

Patel, J. and M. Sharma. Differences in attachment of *Salmonella enterica* serovars to cabbage and lettuce leaves. *International Journal of Food Microbiology* 139:41-47. 2010.

Ponniah, J. et al. *Listeria monocytogenes* in raw salad vegetables sold in retail level in Malaysia. *Food Control* 21:774-778. 2010.

Rahman, S.M.E. et al. Combined effects of alkaline electrolyzed water and citric acid with mild heat to control microorganisms on cabbage. *Journal of Food Science* 75:M111-M115. 2010.

Rahman, S.M.E. et al. Effectiveness of low concentration electrolyzed water to inactivate foodborne pathogens under different environmental conditions. *International Journal of Food Microbiology* 139:147-153. 2010.

Rzezutka, A. et al. *Cryptosporidium* oocysts on fresh produce from areas of high livestock production in Poland. *International Journal of Food Microbiology* 139:96-101. 2010.

Soli, K.W. et al. Decontamination of fresh produce by the use of slightly acidic hypochlorous water following pretreatment with sucrose fatty acid ester under microbubble generation. *Food Control* 21:1240-1244. 2010.

Tunung, R. et al. Prevalence and quantification of *Vibrio parahaemolyticus* in raw salad vegetables at retail level. *Journal of Microbiology and Biotechnology* 20:391-396. 2010.

Wei, J. et al. Manure- and biosolids-resident murine norovirus-1 attachment to and internalization by Romaine lettuce. *Applied and Environmental Microbiology* 76:578-583. 2010.

Xanthopoulos, V. et al. Occurrence and characterization of *Aeromonas hydrophila* and *Yersinia enterocolitica* in minimally processed fresh vegetable salads. *Food Control* 21:393-398. 2010.